



AMC 12/AHSME

2002

B

- 1 The arithmetic mean of the nine numbers in the set $\{9, 99, 999, 9999, \dots, 999999999\}$ is a 9-digit number M , all of whose digits are distinct. The number M does not contain the digit
 (A) 0 (B) 2 (C) 4 (D) 6 (E) 8
- 2 What is the value of

$$(3x - 2)(4x + 1) - (3x - 2)4x + 1$$
 when $x = 4$?
 (A) 0 (B) 1 (C) 10 (D) 11 (E) 12
- 3 For how many positive integers n is $n^2 - 3n + 2$ a prime number?
 (A) none (B) one (C) two (D) more than two, but finitely many
 (E) infinitely many
- 4 Let n be a positive integer such that $\frac{1}{2} + \frac{1}{3} + \frac{1}{7} + \frac{1}{n}$ is an integer. Which of the following statements is **not** true?
 (A) 2 divides n (B) 3 divides n (C) 6 divides n (D) 7 divides n
 (E) $n > 84$
- 5 Let $v, w, x, y,$ and z be the degree measures of the five angles of a pentagon. Suppose $v < w < x < y < z$ and $v, w, x, y,$ and z form an arithmetic sequence. Find the value of x .
 (A) 72 (B) 84 (C) 90 (D) 108 (E) 120
- 6 Suppose that a and b are nonzero real numbers, and that the equation $x^2 + ax + b = 0$ has positive solutions a and b . Then the pair (a, b) is
 (A) $(-2, 1)$ (B) $(-1, 2)$ (C) $(1, -2)$ (D) $(2, -1)$ (E) $(4, 4)$
- 7 The product of three consecutive positive integers is 8 times their sum. What is the sum of their squares?
 (A) 50 (B) 77 (C) 110 (D) 149 (E) 194
- 8 Suppose July of year N has five Mondays. Which of the following must occur five times in August of year N ? (Note: Both months have 31 days.)
 (A) Monday (B) Tuesday (C) Wednesday (D) Thursday (E) Friday
- 9 If $a, b, c,$ and d are positive real numbers such that a, b, c, d form an increasing arithmetic sequence and a, b, d form a geometric sequence, then $\frac{a}{d}$ is
 (A) $\frac{1}{12}$ (B) $\frac{1}{6}$ (C) $\frac{1}{4}$ (D) $\frac{1}{3}$ (E) $\frac{1}{2}$



AMC 12/AHSME

2002

- 10 How many different integers can be expressed as the sum of three distinct members of the set $\{1, 4, 7, 10, 13, 16, 19\}$?
(A) 13 (B) 16 (C) 24 (D) 30 (E) 35
- 11 The positive integers A , B , $A - B$, and $A + B$ are all prime numbers. The sum of these four primes is
(A) even (B) divisible by 3 (C) divisible by 5 (D) divisible by 7
(E) prime
- 12 For how many integers n is $\frac{n}{20-n}$ the square of an integer?
(A) 1 (B) 2 (C) 3 (D) 4 (E) 10
- 13 The sum of 18 consecutive positive integers is a perfect square. The smallest possible value of this sum is
(A) 169 (B) 225 (C) 289 (D) 361 (E) 441
- 14 Four distinct circles are drawn in a plane. What is the maximum number of points where at least two of the circles intersect?
(A) 8 (B) 9 (C) 10 (D) 12 (E) 16
- 15 How many four-digit numbers N have the property that the three-digit number obtained by removing the leftmost digit is one ninth of N ?
(A) 4 (B) 5 (C) 6 (D) 7 (E) 8
- 16 Juan rolls a fair regular octahedral die marked with the numbers 1 through 8. Then Amal rolls a fair six-sided die. What is the probability that the product of the two rolls is a multiple of 3?
(A) $\frac{1}{12}$ (B) $\frac{1}{3}$ (C) $\frac{1}{2}$ (D) $\frac{7}{12}$ (E) $\frac{2}{3}$
- 17 Andys lawn has twice as much area as Beths lawn and three times as much area as Carlos lawn. Carlos lawn mower cuts half as fast as Beths mower and one third as fast as Andys mower. If they all start to mow their lawns at the same time, who will finish first?
(A) Andy (B) Beth (C) Carlos (D) Andy and Carlos tie for first.
(E) All three tie.
- 18 A point P is randomly selected from the rectangular region with vertices $(0, 0)$, $(2, 0)$, $(2, 1)$, $(0, 1)$. What is the probability that P is closer to the origin than it is to the point $(3, 1)$?
(A) $\frac{1}{2}$ (B) $\frac{2}{3}$ (C) $\frac{3}{4}$ (D) $\frac{4}{5}$ (E) 1



AMC 12/AHSME

2002

- 19 If a , b , and c are positive real numbers such that $a(b + c) = 152$, $b(c + a) = 162$, and $c(a + b) = 170$, then abc is
 (A) 672 (B) 688 (C) 704 (D) 720 (E) 750
- 20 Let $\triangle XOY$ be a right-angled triangle with $m\angle XOY = 90^\circ$. Let M and N be the midpoints of legs OX and OY , respectively. Given that $XN = 19$ and $YM = 22$, find XY .
 (A) 24 (B) 26 (C) 28 (D) 30 (E) 32
- 21 For all positive integers n less than 2002, let

$$a_n = \begin{cases} 11 & \text{if } n \text{ is divisible by 13 and 14} \\ 13 & \text{if } n \text{ is divisible by 11 and 14} \\ 14 & \text{if } n \text{ is divisible by 11 and 13} \\ 0 & \text{otherwise} \end{cases}$$

Calculate $\sum_{n=1}^{2001} a_n$.

- (A) 448 (B) 486 (C) 1560 (D) 2001 (E) 2002
- 22 For all integers n greater than 1, define $a_n = \frac{1}{\log_n 2002}$. Let $b = a_2 + a_3 + a_4 + a_5$ and $c = a_{10} + a_{11} + a_{12} + a_{13} + a_{14}$. Then $b - c$ equals
 (A) -2 (B) -1 (C) $\frac{1}{2002}$ (D) $\frac{1}{1001}$ (E) $\frac{1}{2}$
- 23 In $\triangle ABC$, we have $AB = 1$ and $AC = 2$. Side BC and the median from A to BC have the same length. What is BC ?
 (A) $\frac{1+\sqrt{2}}{2}$ (B) $\frac{1+\sqrt{3}}{2}$ (C) $\sqrt{2}$ (D) $\frac{3}{2}$ (E) $\sqrt{3}$
- 24 A convex quadrilateral $ABCD$ with area 2002 contains a point P in its interior such that $PA = 24$, $PB = 32$, $PC = 28$, and $PD = 45$. Find the perimeter of $ABCD$.
 (A) $4\sqrt{2002}$ (B) $2\sqrt{8465}$ (C) $2(48 + \sqrt{2002})$ (D) $2\sqrt{8633}$ (E) $4(36 + \sqrt{113})$
- 25 Let $f(x) = x^2 + 6x + 1$, and let R denote the set of points (x, y) in the coordinate plane such that
- $$f(x) + f(y) \leq 0 \text{ and } f(x) - f(y) \leq 0$$
- The area of R is closest to
 (A) 21 (B) 22 (C) 23 (D) 24 (E) 25



2002 AMC 12B Answer Key

1. A
2. D
3. B
4. E
5. D
6. C
7. B
8. D
9. C
10. A
11. E
12. D
13. B
14. D
15. D
16. C
17. B
18. C
19. D
20. B
21. A
22. B
23. C
24. E
25. E